

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	12	WAP near2 (server database) near5 (names addresses)	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:23
L7	24	WAP near2 (server database) near10 (((called receiving) adj party) (call \$3 near2 log\$1) (address \$2 near2 (list log)) ((phone telephone) adj number))	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:39
L8	37	(WAP context) near2 (server database) near10 (((called receiving) adj party) (call\$3 near2 log\$1) (address\$2 near2 (list log)) ((phone telephone) adj number))	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:42
L9	9181	(server database) near10 ((call\$3 near2 log\$1) (address\$2 near2 (list log)) ((phone telephone) adj numbers))	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:43
L10	53	(server database) near10 ((call\$3 near2 log\$1) (address\$2 near2 (list log)) ((phone telephone) adj numbers)) and WAP same context	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:43
L11	3218141	@ad<"20001221"	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:44
L12	8	10 and 11	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:44
L13	204	database near10 ((call\$3 near2 log\$1) (address\$2 near2 (list log)) ((phone telephone) adj numbers)) and WAP same database	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:47
L14	63	database near10 ((call\$3 near2 log\$1) (address\$2 near2 (list log)) ((phone telephone) adj numbers)) and WAP near10 database	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:48

L15	29	database near10 stor\$3 near10 ((call\$3 near2 log \$1) (address\$2 near2 (list log)) ((phone telephone) adj numbers)) and WAP near10 database	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:48
L16	5	11 and 15	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:49
L17	24	database near10 stor\$3 near10 ((call\$3 near2 log \$1) (address\$2 near2 (list log)) ((phone telephone) adj numbers)) and WAP near10 database and (plac \$3 making initiat\$3) near2 call	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:57
L18	4	16 and 17	US-PGPUB; USPAT	OR	OFF	2009/04/09 23:57
L19	1656	455/417	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:09
L20	1665	455/405	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L21	0	"10027895"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L22	1	"10/027895"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L23	1	10/027895	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L24	1	"20010031633"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L25	31	"6035031"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L26	77	((activity near log) or (context near3 log)) same option	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L27	0	((activity near log) or (context near3 log)) same option same (call near5 (connect\$3 establish\$7))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L28	1	((activity near log) or (context near3 log)) same option same (calling near2 (party terminal telephone phone))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L29	1	((activity near log) or (context near3 log)) same option same (calling near2 (party terminal telephone phone)) same (called near2 (party terminal phone telephone))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L30	2128	(activity near log) or (context near3 log) same option same (calling near2 (party terminal telephone phone)) same (called near2 (party terminal phone telephone)) same (before prior) near3 (connect\$3 communication) near4 establish\$7	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L31	2128	(activity near log) or (context near3 log) same option same (calling near2 (party terminal telephone phone)) same (called near2 (party terminal phone telephone)) same (before prior) near3 (connect\$3 communication)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L32	2128	(activity near log) or (context near3 log) same option same (calling near2 (party terminal telephone phone)) same (called near2 (party terminal phone telephone))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L33	1	10/027895	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L34	1665	455/405	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L35	750	"5742905"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L36	141	(call communication) near5 (establish\$7 connect\$3) same context near25 server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L37	2	L36 and (((calling adj party) caller) same (called adj party)) near10 server same context	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L38	9	(call communion) near5 (establish\$7 connect\$3) same context near25 server and (call near4 transfer\$5) same server same context	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L39	4	(call communion) near5 (establish\$7 connect\$3) same context near25 server and (context near3 (information data)) near25 ((called destination) adj party)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L40	18	(caller (calling adj party)) same ((called adj party) callee) same (server) near5 (connect\$3) and (server near5 (availability near2 status))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L41	113	(caller (calling adj party)) same ((called adj party) callee) same (server) near5 (connect\$3) and (server same availability)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L42	5	(activity adj status) near25 (log database) near25 (users subscribers) near25 server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L43	164	(activity adj2 log) same server same (record\$3)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L44	29	(activity adj2 log) same server same (record\$3) same (users subscribers terminal)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L45	48	(activity adj2 log) same server same (stor\$3 record \$3) same (users subscribers terminal)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L46	44	(activity adj2 log) same server same (stor\$3 record \$3) same (users subscribers terminals)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L47	1	(activity adj2 log) same server same (stor\$3 record \$3) same (users subscribers terminals) and server near5 (check\$3 contact\$3 conect\$3) near25 (call\$1 connection)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L48	18	(activity adj2 log) same server and server near5 (check\$3 contact\$3 connect \$3) near25 (call\$1 connection)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L49	8	(activity adj2 log) same server and server near5 (check\$3 contact\$3 connect \$3) near25 call\$1	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L50	1243	context same (activity presence) same server same (phone telephone user subscriber terminal)	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11
L51	45	context same (activity presence) same server same (phone telephone user subscriber terminal) and ((called adj party) callee) same ((calling adj party) caller) same server	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11
L52	292	call near2 transfer same context	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11
L53	1	call near2 transfer same context same (activity availability) same server	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11
L54	3	call near2 transfer same context same (activity availability) same server	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11
L55	54	call near2 transfer same context same server	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11
L56	59	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L57	0	context adj based same (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L58	0	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user callee (called adj party) (receiving adj party)) near5 (availability)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L59	0	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user callee (called adj party) (receiving adj party)) near5 (availability status)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L60	59	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user callee (called adj party) (receiving adj party)) near5 (availab\$6 status)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L61	59	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user callee (called adj party) (receiving adj party)) near2 (availab\$6 status)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L62	24	context-based and context adj transfer	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L63	59	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user callee (called adj party) (receiving adj party)) near2 (availab\$6 status)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L64	0	L62 and L63	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L65	25	context-based and context adj server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L66	0	L63 and L65	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L67	947	context adj server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L68	0	L63 and L67	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L69	59	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user subscriber callee (called adj party) (receiving adj party)) near2 (availab\$6 status presence)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L70	59	context adj based and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user subscriber callee (called adj party) (receiving adj party)) near3 (availab\$6 status presence)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L71	59	context adj based same (stor\$3 database memory) and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user subscriber callee (called adj party) (receiving adj party)) near3 (availab\$6 status presence)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L72	0	context adj based near25 (stor\$3 database memory) and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user subscriber callee (called adj party) (receiving adj party)) near3 (availab\$6 status presence)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L73	0	context adj transfer same (stor\$3 database memory) and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user subscriber callee (called adj party) (receiving adj party)) near3 (availab\$6 status presence)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L74	6	WAP adj (server context) same (stor\$3 database memory) and (callee (called adj party) (receiving adj party)) near5 (number address) near5 (stor\$3 database memory) and (user subscriber callee (called adj party) (receiving adj party)) near3 (availab\$6 status presence)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L75	3191787	@ad<"20001130"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L76	1	L75 and (WAP near2 (context database)) near10 (((phone telephone) adj number) address)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L77	0	"10027895"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L78	1	"10/027895"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L79	0	L75 and (presence adj status) and presence adj server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L80	268	L75 and (presence adj status)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L81	12	L75 and ((presence availability) adj status) same ((phone telephone subscriber callee (caller adj party)) near2 (number address))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L82	3191787	@ad<"20001130"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L83	43	L82 and ((presence availability) adj (information status)) same ((phone telephone subscriber callee (caller adj party)) near2 (number address))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L84	36	(availability presence) adj status same (select\$3 choos\$3) near5 (number address)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L85	6	L82 and L84	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L86	958	wap adj server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L87	1904	(WAP context) adj server	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L88	1	(WAP context) adj server same (presence availability) near2 status	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L89	122	(WAP context) adj server and (presence availability) near2 status	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L90	1	L89 and (WAP context) adj server same (address number) near2 (subscriber client phone telephone mobile)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L91	131	(WAP context) adj server same (address number) near2 (subscriber client phone telephone mobile)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L92	72	(WAP context) adj server near25 (address number) near2 (subscriber client phone telephone mobile)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L93	72	(WAP context) adj server near25 (address number) near2 (called callee subscriber client phone telephone mobile)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L94	21	L93 and (called callee subscriber client phone telephone mobile) near5 status	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L95	3191787	@ad<"20001130"	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L96	0	L94 and L95	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L97	8	L93 and L95	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L98	9	(phone telephone) adj directory same (status) near4 ((called adj party) callee (receiving adj party))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L99	258	activity adj status same (busy availab\$6)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L100	0	L99 and (phone telephone) adj2 (number address) near5 (stor\$3 memory database) same (target ((receiving called) adj party))	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L101	37	L99 and (target destination ((receiving called) adj party)) near5 (select\$3 choos\$3)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L102	14	L101 and L95	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L103	6	L99 and (target destination ((receiving called) adj party)) near5 (phone telephone) adj (number address)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L104	42	L99 and ((target destination ((receiving called) adj party)) ((phone telephone) adj (number address)) (call adj (list database))) near5 select\$3	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L105	25	L99 and ((target destination ((receiving called) adj party)) ((phone telephone) adj (number address)) (call adj (list database))) near2 select\$3	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L106	6	L105 and L95	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L107	11	WAP adj server near5 (phone telephone) adj (number address)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L108	0	activity adj server same (target destination (receiving adj party) (called adj party)) near5 select\$3	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11

L109	4	(target destination) near5 (select\$3) near3 based near3 (message near2 type)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L110	13	(target destination (receiving adj party)) near5 (select\$3) near3 (message near2 type)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L111	4	(target destination (receiving adj party)) near5 (select\$3) near13 (based) near3 (message near2 type)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L112	30	(target destination (receiving adj party)) near5 (select\$3) near13 (based) near3 ((message document data) near2 type)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L113	47	(target (called adj party) destination (receiving adj party)) near5 (select\$3) near13 (based) near3 ((message document data) near2 type)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L114	705	(activity availability) adj status near5 (check\$3 determin\$5 verif\$7)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L115	1	(activity availability) adj status near5 (check\$3 determin\$5 verif\$7) and (message near2 type) near25 (target subscriber destination client) near3 (select\$3 choos\$3)	US-PGPUB; USPAT	OR	OFF	2009/04/10 02:11
L116	2	(activity availability) adj status near5 (check\$3 determin\$5 verif\$7) and (message near2 type) near25 (target subscriber destination client) near3 (select\$3 choos\$3)	US-PGPUB; USPAT	OR	ON	2009/04/10 02:11

4/ 10/ 09 2:15:30 AM

C:\ Documents and Settings\ pdesir\ My Documents\ EAST\ Workspaces\ 10027895.wsp